

# Delock PCI Express x16 Card to 4 x internal NVMe M.2 Key M with heat sink - Bifurcation

## Description


This PCI Express card by Delock expands the PC by **four M.2 slots**. Up to four M.2 SSDs in format 2280, 2260, 2242 and 2230 can be connected. With the help of the large heat sink sufficient cooling of the M.2 modules is guaranteed.

## PCIe Bifurcation

The card requires the PCIe bifurcation of the motherboard to split the PCIe signal in order to use multiple ports.

## Note

Without PCIe bifurcation only the first M.2 slot of the card can be used.



**Item no. 90054**

EAN: 4043619900541

Country of origin: China

Package: Box

## Technical details

- Connectors:  
internal:  
4 x 67 pin M.2 key M slot  
1 x PCI Express x16, V4.0
- Interface: PCIe
- Supports M.2 modules in format 2280, 2260, 2242 and 2230 with key M or key B+M based on PCIe
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- Supports NVM Express (NVMe)
- 4 x LED indicator
- Bootable, ex UEFI version 2.3.1
- Supports S.M.A.R.T.
- Supports TRIM
- Dimensions heat sink (LxWxH): ca. 134 x 93 x 10 mm

## System requirements

- Linux Kernel 5.8 or above
- Windows 8.1/8.1-64/10/10-64
- Windows Server 2016
- PC with one free PCI Express x16 / x32 slot
- Motherboard and BIOS with PCIe bifurcation support

---

## Package content

- PCI Express card
- Heat sink
- M.2 mounting material
- User manual

---

## Images

