


# Delock 8 port SATA PCI Express x1 Card - Low Profile Form Factor

## Description

The PCI Express card by Delock expands a PC by **eight internal SATA ports**. Different devices such as SSDs, hard drives, DVD-drives etc. can be connected to the card.



**Item no. 90072**

EAN: 4043619900725

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 8 x SATA 6 Gb/s 7 pin plug
  - 1 x PCI Express x1, V2.0
  - 8 x 2 pin pin header for LED
- Chipset: Asmedia ASM1064, ASM1182E
- Supports Native Command Queuing (NCQ)
- Supports S.M.A.R.T.
- Supports TRIM
- Supports DevSleep
- Hot Swap
- Bootable

## System requirements

- Linux Kernel 5.8 or above
- Windows 8.1/8.1-64/10/10-64
- Windows Server 2019

- PC with one free PCI Express slot


---

## Package content

- PCI Express card
- Low profile bracket
- User manual

---

## Images



## General

|                             |  |
|-----------------------------|--|
| Form factor:                | Low Profile  |
| Function:                   | Hot Swap<br>bootable<br>TRIM<br>S.M.A.R.T.   |
| Supported operating system: | Linux Kernel 5.8.0 or above<br>Windows 10 32-Bit<br>Windows 10 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>Windows Server 2019 |

## Interface

|              |                              |
|--------------|------------------------------|
| Connector 1: | 8 x SATA 6 Gb/s 7 pin plug   |
| Connector 2: | 1 x PCI Express x1, V2.0     |
| connector 3: | 8 x 2 pin pin header for LED |

## Technical characteristics

|                     |                             |
|---------------------|-----------------------------|
| Chipset:            | ASM1182e<br>Asmedia ASM1064 |
| Data transfer rate: | 6 Gb/s                      |