

Delock PCI Express x16 Card to 4 x internal SFF-8654 4i NVMe - Bifurcation

Description


This PCI Express card by Delock expands the PC by four SFF-8654 interfaces. **SSDs with e.g. U.2 interface** can be connected to these ports by using an optional cable. The card transmits PCI Express signals using the NVMe protocol.

PCIe Bifurcation

The card requires the **PCIe bifurcation** of the motherboard to split the PCIe signal in order to use multiple ports.

Note

Without PCIe bifurcation only the first SFF-8654 port of the card can be used.



Item no. 90111

EAN: 4043619901111

Country of origin: Taiwan,
Republic of China

Package: White Box

Technical details

- IOI item number: QIP4X-PCIE16XB03
- Connectors:
 - internal:
 - 4 x 38 pin SFF-8654 4i female
 - 1 x PCI Express x16, V5.0
 - 2 x 2 pin 3.3 V power output
- Supports NVM Express (NVMe)
- Bootable


System requirements

- Linux Kernel 3.16 or above
- Windows 8.1/8.1-64/10/10-64
- PC with one free PCI Express x16 / x32 slot
- Motherboard and BIOS with PCIe bifurcation support

Package content

- PCI Express card

Images



General

Function:	NVM Express (NVMe)
Supported operating system:	Linux Kernel 3.16 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

Interface

Connector 1:	4 x 38 pin SFF-8654 4i female
Connector 2:	1 x PCI Express x16, V5.0
connector 3:	2 x 2 pin 3.3 V power output