


Delock Mini PCIe I/O PCIe half size 2 x SATA 6 Gb/s

Description

This Mini PCIe module by Delock expands the system by two internal SATA 6 Gb/s ports. It can be used to connect devices like SSDs, SATA HDDs, or similar drives. Through the attached extension it is possible to use the module in full size slots.



Item no. 95260

EAN: 4043619952601

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x Mini PCI Express, Rev. 1.2
 - 2 x SATA 6 Gb/s 7 pin plug
- Chipset: Asmedia ASM1061
- Interface: PCI Express revision 2.0
- Form factor: Mini PCIe half size
- Data transfer rate:
 - SATA up to 6 Gb/s
 - PCI Express up to 5 Gb/s
- Supports Native Command Queuing (NCQ)
- Supports Serial ATA AHCI


System requirements

- Linux Kernel 4.9.4 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- Motherboard with a free Mini PCIe slot with a PCIe interface

Package content

- Mini PCIe module
- Driver CD
- Extension
- 4 x screw
- User manual

Images



General

Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit ex Linux Kernel 4.9.4 Windows 11
-----------------------------	---

Interface

Connector 1:	1 x Mini PCI Express, Rev. 1.2
Connector 2:	2 x SATA 6 Gb/s 7 pin plug

Technical characteristics

Chipset:	Asmedia ASM1061
Data transfer rate:	5 Gbps 6 Gb/s
Interface:	PCI Express