


Delock USB 2.0 modul kamere 8 megapiksela IMX179QQH5-C Sony® Starvis™ 64° V51 automatski fokus

Opis

Ovaj USB 2.0 modul kamere tvrtke Delock u kompaktnoj izradi nudi visoku rezoluciju i nisku potrošnju. Idealno je rješenje za instalaciju u industrijskim komponentama poput IPC-ova, integriranih sustava, senzora i u proizvodnji uređaja. Uporaba fotoosjetljivog senzora s pozadinskim osvjetljenjem (BSI) širi raspon ovog modula.



Napomena

Automatski fokus ovog modula kamere može se deaktivirati i individualno podešavati.

Predmet br. 96360

EAN: 4043619963607

Zemlja podrijetla: China

Pakiranje: Retail Box

Tehnički podaci

- Priključak: 1 x 5-polna USB 2.0-polna ženska priključnica SMT, korak udaljenosti 1,00 mm
- Rezolucija: 8,0 megapiksela
- S optičkim infracrvenim filtrom
- Struja potrošnje: aktivan senzor: 110 mA ± 5 mA na 640 x 480 piksela
- Radni napon: 5 V DC
- Radna temperatura: 5 °C ~ 50 °C
- Vlaga pri radu: 20 ~ 80 %
- Veličina senzora: 1/3,2"
- Osjetljivost: 0,6 V / lx s
- Razina buke signala (SNR): otpr. 36 dB
- Dinamički raspon: 68 dB
- Automatski fokus: 0,2 m - beskonačno
- Otvor: F/2,8
- Broj sličica:
 - 320 x 240 @ 30 Hz
 - 352 x 288 @ 30 Hz
 - 640 x 480 @ 30 Hz

900 x 600 @ 30 Hz

1280 x 720 @ 30 Hz

1600 x 1200 @ 30 Hz

1920 x 1080 @ 30 Hz

2048 x 1536 @ 20 Hz

2560 x 1440 @ 30 Hz

2592 x 1944 @ 20 Hz

3264 x 1836 @ 15 Hz

3264 x 2448 @ 15 Hz

- Mjere (DxŠxV): oko 60,0 x 9,0 x 5,8 mm


Preduvjeti sustava

- Android 11.0 ili noviji
- Chrome OS
- Linux Kernel 5.15 ili noviji
- Mac OS 12.4 ili noviji
- Windows 10/10-64/11

Sadržaj pakiranja

- Modul kamere
- CD s korisničkim priručnikom

Slike



General

Supported operating system:	Chrome OS Windows 11 Mac OS 12.4 oder höher Android 11.0 or above Linux Kernel 5.15 or above
-----------------------------	--

Interface

priključak:	1 x 5 pin USB 2.0 WTB female
-------------	------------------------------

Technical characteristics

Operating voltage:	5 V DC
Radna temperatura:	5 °C ~ 50 °C
Maximum screen resolution:	3264 x 2448 @ 15 fps
Minimum screen resolution:	320 x 240 @ 30 fps
Sensor Size:	1/3.2"
Current consumption:	110 mA ± 5 mA @ 640 x 480 Pixel

Physical characteristics

Duljina:	60,0 mm
Width:	9,0 mm
Height:	5,8 mm