

# Delock Serial Connection Cable with FTDI chipset, USB 2.0 Type-A male to RS-232 RJ45 female 1 m black

## Description

This USB 2.0 to RS-232 cable by Delock can be used for the console control at CISCO routers, switches, access points and other compatible devices via PC or laptop.



1 m

**Item no. 64164**

EAN: 4043619641642

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x USB 2.0 Type-A male >
  - 1 x serial RS-232 RJ45 female
- Chipset: FTDI FT231XS
- Signals: CTS(1), DSR(2), RXD(3), GND(4), GND(5), TXD(6), DTR(7), RTS(8)
- Suitable for various CISCO devices
- Data transfer rate up to 921.6 Kbps
- Colour: black
- Cable length incl. connectors: ca. 1 m

## System requirements

- Linux Kernel 5.8 or above
- Mac OS 10.15.7 or above
- Windows 8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

---

## Package content

- Adapter cable

---

## Images



### Interface

|              |                               |
|--------------|-------------------------------|
| Connector 1: | 1 x USB 2.0 Type-A male >     |
| Connector 2: | 1 x serial RS-232 RJ45 female |

### Technical characteristics

|                     |              |
|---------------------|--------------|
| Chipset:            | FTDI FT231XS |
| Data transfer rate: | 921,6 Kbps   |

### Physical characteristics

|                               |       |
|-------------------------------|-------|
| Cable length incl. connector: | 1 m   |
| Colour:                       | black |